

TOWN BOARD OF HEALTH  
Town of Horicon  
PO Box 90, Brant Lake, NY 12815  
(518) 494-3647

### **NOTICE OF PUBLIC HEARING**

Pursuant to Article V, Section E, of the Town of Horicon Sanitary Regulations, NOTICE IS HEREBY GIVEN, that the Horicon Town Board of Health will conduct a Public Hearing on Thursday, December 20, 2018 at 7:00 PM at the Horicon Community Center, 6604 State Rt. 8, Brant Lake, NY.

The Public Hearing is for a variance to replace a failed septic system at 7279 State Rt. 8, Brant Lake, NY, Tax Map #72.6-1-7, which does not meet the minimum setback requirements of Article III, Section D of the Horicon Sanitary Regulations. The owner, represented by Winchip Engineering, proposes to replace the failed existing septic system with an enhanced treatment system which does not meet the setbacks. The proposed system will require the following variances:

- Proposed absorption bed to existing well – 100' required, 63.8' proposed, variance of 36.2'
- Proposed absorption bed to house – 20' required, 9.2' proposed, variance of 10.8' (house foundation is an open crawl space)
- Proposed absorption bed to road – 4.5' proposed (not a required variance - noted to show system will maintain separation to road)
- Proposed absorption bed to property line – 10' required, 7.0' proposed, variance of 3.0'
- Proposed absorption bed to mean high water mark of lake – 100' required, 78.3' proposed, variance of 21.7'
- Proposed pump tank to property line – 10' required, 5.8' proposed, variance of 4.2'
- Proposed pump tank to house – 10' required, 8.6' proposed, variance of 1.4'
- Proposed enhanced treatment unit to home – 10' required, 5.6' proposed, variance of 4.4'
- Proposed enhanced treatment unit to property line – 10' required, 5.0' proposed, variance of 5.0'

All documents pertinent to said application may be viewed by contacting the Horicon Zoning Office at 6604 State Rt. 8, Brant Lake, NY during regular business hours.

**By Order of the Horicon Town Board of Health**  
Krista Wood, Town Clerk